FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: July 21, 1995 Date Received: July 19, 1995

Project: #7238, Metro 24 Hr. (ACW), PO M50193

Date Samples Extracted: July 20, 1995 Date Extracts Analyzed: July 20, 1995

RESULTS FROM THE ANALYSIS OF WATER SAMPLES FOR CHROMIUM, COPPER, NICKEL AND ZINC

Samples Processed Using Method 3005 per Washington DOE Guidelines Results Reported as mg/L (ppm)

Sample ID	Chromium	Copper	<u>Nickel</u>	<u>Zinc</u>
M50193 A Discharging	0.55	0.29	0.34	<0.05
M50193 B No Discharge	0.50	0.30	0.33	<0.05
Quality Assurance				
Blank	.<0.05	<0.05	<0.05	<0.05
M50193 B No Discharge (Duplicate)	0.56	0.33	0.36	0.09
M50193 B No Discharge (Matrix Spike) % Recovery	104%	102%	104%	105%
M50193 B No Discharge (Matrix Spike Duplicate) % Recovery	108%	105%	106%	108%
Spike Blank % Recovery	103%	102%	103%	102%
Spike Level	5	5	10	5

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

July 21, 1995

Gerald Thompson, Project Leader Alaskan Copper Works 628 South Hanford Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on July 19, 1995 from your project #7238, Metro 24 Hr. (ACW), PO M50193.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Bradley T. Benson

Chemist

jdp

Enclosures

ACU0721R

FRIEDMAN & BRUYA, INC. 3012 16th Avenue West Seattle, WA 98119-2029 (206) 285-8282

SAMPLE CHAIN OF CUSTODY

BtB AI 07.19.95 2:58

Send Report To:) Company (ECOL) Thomas					Conta	Contact CIERACD Thompson				
Address 628	HA-Son	IVS	7						ý -	
City, State, Zip Sept	Hie in	A	98134							
Phone # (206) 3	558335				Date_	7-1	955			
SITE NO.			PROJ	ECT NAME	3	γ	PURCH	ASE ORDE	ER#	
7238		,	Metro 24 ha (ACL) M 50193					* 0		
SAMPLERS (signature)	1					· · · · · · · · · · · · · · · · · · ·	PROJEC	T LOCAT	ION	
Donal	25		The second secon							
REMARKS						SAN	APLE DISPO	SAL INFO	RMATION	
	Hara Nasa Na Mara H						Return S	after 30 da amples Instruction	~	
Sample #	Date/7 Samp		Type of Sample	# of Jars	Lab Sample	#	Analyses Requested			
M50193A	12 55 n		HIZO	/	6068		CK 1		1/2~	
Discharging										
m 50/93 13					1					
NO Discharge	12.35 FM	7/9	1/20	/	6068	3	en co	אר ע'	حث	
			<u> </u>							
							·			
*										

SIGNATURE	<u></u>	P	RINT NAME	<u> </u>	COMPAN	17		Date	Time	
Relinquished by:		TERY	Thongs	100	ACn)	7	18/28	1:50 pm	
alust Dur	ing (Ath	<u> </u>		F+B-	I	7//	9/95	153PM	
Relinquished by:		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/							
Received by:										

FORMS/COC

09/19/94

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

DUPLICATE COPY

July 21, 1995

INVOICE # 95ACU0721-3

Alaskan Copper Works 628 South Hanford Seattle, WA 98134

RE: Project #7238, Metro 24 Hr. (ACW), PO M50193: Results of testing requested by Gerald Thompson, Project Leader for material submitted on July 19, 1995.

2 water samples analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample

\$ 130.00

\$ 130.00